



ICE-Trade s.a.
International Conveyor Equipment & Trading

Passage de la Poste 3-2
B-7700 Mouscron
Belgium

Tel. + 32.56.48 18 80
Fax + 32.56.48 18 88
info@ice-trade.com
www.ice-trade.com

ICE-Trade ® Rubber / PU Ring Press



The ICE-Trade® Rubber Ring Press presses the buffer and support rings on the roller.
The first ITRRP is launched in April 2011.

The ITRRP features base, support and press plates for different diameters. As the plates can be installed in different positions, the ITRRP-1400 can handle rollers from 200 up to 1400 mm. Other sizes are available too !

The electric installation is made according the state of the art, with 2 push buttons which both have to be pushed in synchronic and those are 'hold-to-run'.

The ICE-Trade Rubber Ring Press can feature also a PLC with touch screen to make the pressing distances fully automatic.



ICE-Trade s.a.
International Conveyor Equipment & Trading

Tel. + 32.56.48 18 80
Fax + 32.56.48 18 88
info@ice-trade.com
www.ice-trade.com



The roller base, press and roller support plates are galvanized.



Storage of the roller base, support & press plates is at the side of the frame.



Sensors ensure the right positioning of the rings on the idler.



ICE-Trade s.a.
International Conveyor Equipment & Trading

Tel. + 32.56.48 18 80
Fax + 32.56.48 18 88
info@ice-trade.com
www.ice-trade.com



The control box features on/off switch, emergency stop system, switch for the positioning, switch up/down, and the two hand operating buttons which have to be pushed synchronic.

Technical specs

| Type | ITRRP-xxxx (length of the roller) |
|---------|-----------------------------------|
| Dept | 0,32 m |
| Width | 1,0 m |
| Height | depending the roller length |
| Weight | 300 kg |
| Noise | < 70 dB (A) |
| Tension | 230 V |
| Amps | 10 A |

The frame, from steel is painted with 2 layers of 2 component epoxy base paint and finished with 2 layers of high quality 2 component acryl paint.

The result :



For further information please do not hesitate to contact us.