

ICE-Trade Rubber Rings for idlers



Flat support rings



Outside ø	Inside ø	Width	Tube ø	Weight gr.	Nr. box
108	61	40	63.5		
133	61	40	63.5		
133	85	40	88.9		
133	85	75	88.9		
133	85	200	88.9		
159	85	40	88.9		
159	85	50	88.9		
159	104	40	108		
180	104	50	108		

Spiral rings (cleaning rings)



Outside ø	Inside ø	Width	Tube ø
108	47	40	51
133	65	40	70

Support rings



Outside ø	Inside ø	Width	Tube ø
108	47	25	51
108	51	25	54
108	54	25	57
108	57	25	60
108	61	25	63.5
108	65	25	70
120	47	25	51
120	57	25	60
120	61	25	63.5
133	54	30	57
133	57	30	60
133	61	30	63.5
133	65	30	70
133	76	30	80
133	82	30	88.9
150	47	30	51
150	57	30	60
150	61	30	63.5
150	67	30	70
150	85	30	88.9
159	86	30	88.9
159	104	30	108
180	85	35	88.9
180	104	40	108
193.7	104	35	108
193.7	129	35	133
215	104	40	108
215	127	40	133
250	127	40	133

Buffer rings



Outside ø	Inside ø	Width	Tube ø
89	48	28	51
89	51	25	54
89	51	30	54
89	61	25	63.5
89	61	30	63.5
102	54	25	57
108	57	30	60
108	61	30	63.5
108	65	28	70
120	61	30	63.5
133	54	35	57
133	61	35	63.5
133	67	35	70
133	85	35	88.9
150	61	30	63.5
150	85	35	88.9
159	47	35	51
159	85	35	88.9
159	105	40	108
180	85	40	88.9
180	104	40	108
193.7	104	40	108
193.7	129	45	133
215	127	50	133
215	156	38	159
250	155	60	159



ICE-Trade Rubber Rings for rollers are injection molded from high quality rubber.

All the models can be made from white rubber, which is conform the following specifications :
FDA, anti static ISO 284 and fire retardant ISO 340.

The rings can be produced as well according to all existing norms for underground mining.

For further information, please contact us.